

# The Gazette of India

EXTRAORDINARY

PART II—Section 3

PUBLISHED BY AUTHORITY

---

**No. 137] NEW DELHI, TUESDAY, SEPTEMBER 30, 1952**


---

**MINISTRY OF COMMERCE AND INDUSTRY****NOTIFICATION***New Delhi, the 30th September, 1952*

**S.R.O. 1675.**—The following Notification issued by the Iron and Steel Controller under Clause 8 (1) of the Iron and Steel (Scrap Control) Order, 1943, is published for general information :

**“NOTIFICATION**

In exercise of the powers conferred by sub-clause (1) of clause 8 of the Iron and Steel (Scrap Control) Order, 1943, and with the approval of the Central Government, the Iron and Steel Controller is pleased to notify the following amendment to the Government of India in the late Ministry of Industry and Supply Notification No. I(I)-I(196), dated the 5th February, 1949, as amended from time to time, *viz.* :—

For the existing “Parts I and II” of the ‘Schedule’, the following shall be substituted :—

**SCHEDULE****PART I***A.—Defectives and Cuttings*

Item No.	Description or Classification of Materials	Maximum basic prices per ton at Calcutta, Bombay and Madras		
		Col. I	Col. II	Col. III
		For sales by Controlled sources other than those mentioned in Col. II	For sales by Scrap Merchants who have been declared Controlled sources	For sales by all persons other than those mentioned in Cols. I and II
		Rs.	Rs.	Rs.
1	Bars and Rods (Rounds and Squares below 3" and Flats upto and including 5" wide), Defective, Rejected and Non-standard. Above 9' long for Bars and above 8' long for Rods . . . . .	315	340	360
2	Fishplates—Defective (for heavy or light rails) . . . . .	350	375	395

Item No.	Description or Classification of Materials	Maximum basic prices per ton at Calcutta, Bombay and Madras		
		Col. I	Col. II	Col. III
		For sales by Controlled sources other than those mentioned in Col. II	For sales by Scrap Merchants who have been declared Controlled sources	For sales by all persons other than those mentioned in Cols. I and II
		Rs.	Rs.	Rs.
3	Plates—Defective, Rejected and Non-standard, 3/8" and up thick . . . . .	350	375	395
4	Deleted.			
5	Rails (excluding Second class Rails to specification T.II/28)—Defectives 12' and up—			
	(a) Light . . . . .	300	325	345
	(b) Heavy . . . . .	275	300	320
6	Semis—Defective (Ingots, Billets, Blooms, Slabs, etc. and cuttings thereof) . . . . .	205	230	250
7	Sheets—Black Non-standard, Defectives, Rejects and cuttings over 18" wide, 10/14 gauge . . . . .	367	392	417
8	Sheets—Galvanised Corrugated, Rejected, Defective and Spotted, 24 gauge . . . . .	596	621	646
9	Sleepers—Steel, Rejected, unused . . . . .	255	280	300
10	Sleeper Bars—Rejected 9' and above . . . . .	232	257	277
11	Structurals including Bars (Rounds and Squares 3" and above and Flats above 5" wide), defective, rejected and non-standard over 9' long . . . . .	255	280	300
<b>B.—INDUSTRIAL SCRAP</b>				
1	Axles—(Rly. Engine, Carriage and Wagon Axles) . . . . .	210	235	255
2	Bars and Rods (Rounds and Squares below 3" and Flats upto and including 5" wide) Cuttings 2'/9' for Bars and 2'/8' for Rods . . . . .	265	290	310
3	Bars and Rods (Rounds and Squares below 3" and Flats upto and including 5" wide) Cuttings under 2' down to 1' long . . . . .	210	235	255
4	Bars and Rods (Rounds and Squares below 3" and Flats upto and including 5" wide) Cuttings under 1' long . . . . .	150	175	195
5	Bars, Octagonals (H. C.) Defectives and Cuttings over 2' long . . . . .	340	365	400
6	Bars, Octagonals (H. C.) Defectives and Cuttings 1' to 2' long . . . . .	270	295	330
7	(a) Bars, Spring Steel, Defectives and Cuttings over 9' in length . . . . .	390	415	450
	(b) Bars, Spring Steel, Defectives and Cuttings 2' to 9' in length . . . . .	300	325	460
8	Bars, Spring Steel, Cuttings 1' to 2' in length . . . . .	240	265	300
9	Bars, Spring Steel, Cuttings under 1' long . . . . .	190	215	250

Item No.	Description or Classification of Materials	Maximum basic prices per ton at Calcutta, Bombay and Madras		
		Col. I	Col. II	Col. III
		For sales by Controlled sources other than those mentioned in Col. II	For sales by Scrap Merchants who have been declared Controlled sources	For sales by all persons other than those mentioned in Cols. I and II
		Rs.	Rs.	Rs.
10	Dog Spikes—used—second hand . . . . .	155	180	200
11	Draw Bars (Rly. Engine and Carriage) with or without hooks . . . . .	180	205	225
12	Fencing Posts—punched—second hand, used, complete or broken, 2' long and over . . . . .	115	140	160
13	Hoops and thin Flats, defective and second hand over 10' basis . . . . .	280	305	325
	3/4" × 20 gauge, below 19' in length nominal . . . . .	490	515	565
	3/4" × 18/19 gauge, below 19' in length nominal . . . . .	455	480	530
14	Hoops or thin Flat Cuttings, 2'/10'. All widths and gauges (not exceeding 1/8" thick) . . . . .	270	295	315
15	Hoops or thin Flat Cuttings below 2' and defective or second hand below 10' . . . . .	150	175	195
16	Nails, Wire, Rejected, Defective and/or rusty mixed gauges and/or sizes . . . . .	520	545	595
17	Plate cuttings (ends) and/or strips straight sheared (5/16" and thicker and in widths above 10"). . . . .	250	275	295
18	Plate cuttings 5/16" and thicker, and in widths upto 10" wide . . . . .	230	255	275
19	Deleted.			
20	Deleted.			
21	Plates—Chequered 1/4" and up (Defective) . . . . .	280	305	325
	(i) Plates—cuttings in widths above 10" . . . . .	250	275	295
	(ii) Plates—cuttings in widths upto 10" . . . . .	240	265	285
22	Plates (punchings for making nuts etc.) . . . . .	110	135	155
23	Plates, steamer punched all sizes . . . . .	190	215	235
24	Plates shearings (resulting from fabrication work) 5'—6" and longer mixed widths and thicknesses . . . . .	170	195	215
*25	P. C. R. C. A. Strips—gauge 28 and thicker . . . . .			
	(a) over 6" . . . . .	295	320	350
	(b) 3" to 6" wide . . . . .	210	235	265
	(c) Under 3" . . . . .	160	185	215
*26	(a) P.C.R.C.A. Wasters—mixed gauges . . . . .	345	370	400
	(b) Black Plate rejects—mixed gauges . . . . .	345	370	400
27	Points and crossings—steel . . . . .	180	205	225

Item No.	Description or Classification of Materials	Maximum basic prices per ton at Calcutta, Bombay and Madras		
		Col. I	Col. II	Col. III
		For sales by Controlled sources other than those mentioned in Col. II	For sales by Scrap Merchants who have been declared Controlled sources	For sales by all persons other than those mentioned in Cols. I and II
		Rs.	Rs.	Rs.
28	Rails (excluding second class rails to specn. T. II/28)— Cuttings 2' to under 12'—			
	(a) Light . . . . .	230	255	275
	(b) Heavy . . . . .	245	240	26
29	Rail cuttings—Steel under 2' (Light or Heavy). . . . .	155	180	200
30	Deleted.			
31	Roll Spoils—all thicknesses and lengths . . . . .	220	245	265
32	Sheet Cuttings, Black Fishtails and clean cut mixed 6"/18" wide mostly 24 gauge . . . . .	250	275	300
33	Sheet Cuttings, Black Fishtails and clean cut mixed 6"/24" wide, 13/18 gauge . . . . .	200	225	250
34	Sheet Cuttings, Black Fishtails and clean cut mixed 6"/24" wide, 19/22 gauge . . . . .	215	240	265
35	Sheet Cuttings, Black Fishtails and clean cut mixed 6"/18" wide, 26 gauge . . . . .	255	280	305
36	Sheet Cuttings, Black Fishtails and clean cut mixed 6"/24" wide, 28 gauge . . . . .	260	285	310
37	Sheet Cuttings, Black Fishtails and clean cut mixed 6"/24" wide, 30 gauge . . . . .	265	290	315
38	Sheets—Black cuttings, annealed, clean cut pieces 6" to under 18" wide . . . . .	250	275	300
39	Sheets—Black Cuttings, 6" and up wide, all Fishtails, mixed gauges 10 to 26 gauge . . . . .	195	220	245
40	Sheets—Black Cuttings, 2" to under 6", 10/14 gauge . . . . .	150	175	200
*41	Sheets—Black Cuttings—			
	(a) Thin Straight Sheared hand bundled mixed gauges 20/34, 4" wide and over . . . . .	250	275	300
	(b) Thick hand bundled mixed gauges 20/34, 2" wide and over . . . . .	130	155	180
42	Sheets, Galvanised, Cuttings, Plain or Corrugated 16/24 gauge . . . . .	360	385	410
43	Sheets, Galvanised—used—damaged but re-utlisable, corrugated or plain, mixed or unmixed . . . . .	240	265	290
44	Sleeper, Steel, Second hand (used) . . . . .	180	205	225
	Sleeper Bars—			
	(a) Cuttings 2' to below 9' . . . . .	185	210	230
	(b) Cuttings below 2' . . . . .	125	150	170
46	Spring Steel Scrap . . . . .	200	225	260

Item No.	Description or Classification of Materials	Maximum basic prices per ton at Calcutta, Bombay and Madras		
		Col. I	Col. II	Col. III
		For sales by Controlled sources other than those mentioned in Col. II	For sales by Scrap Merchants who have been declared in Col. II	For sales by all persons other than those mentioned in Cols. I and II
		Rs.	Rs.	Rs.
47	Structural Cuttings 2'9" long including those of Bars (Rounds and Squares 3" and above and Flats above 5" wide)	235	260	280
48	Structural—Cuttings under 2' long including cuttings of Bars (Rounds and Squares 3" and above and Flats above 5" wide)	150	175	195
*49	Terneplate Strips, G. 28 and thicker—			
	(a) Over 6" wide	325	350	380
	(b) 3" to 6" wide	245	270	300
	(c) Under 3"	185	210	240
50	Tie Bars—Punched—Second hand (Used)—Full lengths or broken 1 ft. long or over	125	150	170
*51	Tinplate Strips—28 Gauge and thicker—in lots where—			
	Minimum width      Maximum width			
	(a) 6"      ...	560	585	615
	(b) 3"      6"	480	505	535
	(c) 2"      3"	525	550	580
	(d) 1"      2"	505	530	560
	(e) 1/2"      1"	485	510	540
	(f) 1/2"      ...	455	480	510
52	Tinbar and Sheet bar, Crop Ends approx. 5/8", 1/2" and 3/8" thick, 2" to 6" wide	195	220	240
53	Tyres—Scrap (with studholes) maunsell ring fastenings	200	225	245
54	Tyres (Wheel—Railway Engine, Carriage) without studholes	200	225	245
55	Wire Defective and short lengths specific gauges, basis 2—3 S.W.G.—			
	(a) Hard Bright	440	465	500
	(b) Annealed	480	505	540
	(c) Galvanised (including Telegraph)	600	625	660
	(d) Barbed	700	725	760
56	Wire Scrap and cuttings in mixed unsorted gauges—			
	(a) Hard Bright	440	465	500
	(b) Annealed	475	500	535
	(c) Galvanised	600	625	660
57	Wire Scrap twisted, bent and rusty, mixed or unmixed gauges—			
	(a) Unannealed	295	320	355
	(b) Annealed	325	350	385

Item No.	Description or Classification of Materials	Maximum basic prices per ton at Calcutta, Bombay and Madras.		
		Col. I	Col. II	Col. III
		For sales by Control led sources other than those mentioned in Co l. II	For sales by-Scrap Merchants who have been declar- ed Control- led sources	For sales by all persons other than those men- tioned in Cols. I and II
		Rs.	Rs.	Rs.
	(c) Galvanised . . . . .	425	450	485
	(d) Barbed . . . . .	490	515	550
58	Mild Steel, Commercial quality, MELTING SCRAP excluding borings and turnings and special quality low phosphorus melting scrap . . . . .	60	60	60
59	Fresh Borings and Turnings . . . . .	The maximum prices shall Rs. 15 per ton <i>ex site</i> for all persons and sources including Controlled sources and shall not be subject to any place extras.		
60	Special quality low Phosphorus steel MELTING SCRAP with phosphorus content below .04 per cent. . . . .	105	105	105
61	Special quality low phosphorus steel MELTING SCRAP with phosphorus content below .05 per cent. . . . .	90	90	90
62	Cast Iron Melting Scrap—			
	Grade I . . . . .	75	75	75
	Grade II . . . . .	53	53	53

\*Gauge extras applicable to items 25, 26, 41, 49 and 51 (Tinplate Co.'s specifications) for lots—

1	Thinner than 28 gauge . . . . .	Rs. 25 per ton
2	29 to 30 gauge . . . . .	Rs. 30 per ton
3	31 to 32 gauge . . . . .	Rs. 35 per ton
4	33 to 34 gauge . . . . .	Rs. 45 per ton

## PART II

*Scrap for Re-rolling*

Item No.	Description of materials or lot	Maximum prices per ton at Calcutta, Bombay, and Madras—
		Rs.
1	Defective Semis including Sheet and Tin Bars and any other items accepted by Registered Producers as Semis for Re-Rolling purposes . . . . .	255
2	Fresh Re-Rollable scrap from all sources including fresh steel rail cuttings and other scrap recovered from the process of fabricating new steel but excluding Roll-spoils . . . . .	230
3	Used Railway Straight Axles . . . . .	230

Item No.	Description of materials or lot	Maximum prices per ton at Calcutta, Bombay and Madras
		Rs.
4	Used steel Rails of all descriptions in re-rollable lengths including points and crossings . . . . .	200
5	Steel long Draw Bars (with or without Hooks) . . . . .	200
6	Fresh Roll-spoils $3/4$ " and thicker which are suitable for or which the Controller considers should be used for re-rolling, lengths 5"—6" and up . . . . .	230
7	All other Re-rollable scrap from any source including such scrap recovered from old fabrication, etc., which the Controller considers suitable or fit for re-rolling . . . . .	190

This amendment shall take effect from the 1st October, 1952 and notwithstanding the rates at which an order has been booked or the material paid for, shall apply to all deliveries effected on or after that date.

C. R. NATESAN,  
*Iron and Steel Controller "*

D. HEJMADI, Under Secy

